



CORONAVIRUS (COVID-19)

THE CENTERS FOR DISEASE CONTROL AND PREVENTION RECOMMENDS THAT EVERYONE, REGARDLESS OF RISK, PRACTICE THE FOLLOWING BEHAVIORS DURING THE PANDEMIC.

- Stay home when you are sick.
- Wash your hands often. Wash for at least 20 seconds with soap and water; if soap and water is not available, use a hand sanitizer with at least 60% alcohol.
- Do not touch your eyes, nose, or mouth with unwashed hands.
- Avoid crowded areas and sick people.
- Practice social distancing when you do need to get out in public, which means staying six feet apart.
- Clean and disinfect high-touch surfaces often.
- Avoid all nonessential travel.
- Stay informed with reliable local and state resources.

WATCH FOR SYMPTOMS

The following symptoms may appear **2-14 days after exposure**.

- Fever
- Cough
- Shortness of breath

If you develop **emergency warning signs** for COVID-19 get **medical attention immediately**.

Emergency warning signs include*

- Difficulty breathing or shortness of breath
- Persistent pain or pressure in the chest
- New confusion or inability to arouse
- Bluish lips or face

*This list is not all inclusive. Please consult your medical provider for any other symptoms that are severe or concerning.

STEPS TO HELP PREVENT THE SPREAD OF COVID-19 IF YOU ARE SICK

Stay home: People who are mildly ill with COVID-19 are able to recover at home. Do not leave, except to get medical care. Do not visit public areas.

Stay in touch with your doctor. Call before you get medical care. Be sure to get care if you feel worse or you think it is an emergency.

Avoid public transportation: Avoid using public transportation, ride-sharing, or taxis. Separate yourself from other people in your home, this is known as home isolation

Stay away from others: As much as possible, you should stay in a specific “sick room” and away from other people in your home. Use a separate bathroom, if available.

Limit contact with pets & animals: You should restrict contact with pets and other animals, just like you would around other people.

- Although there have not been reports of pets or other animals becoming sick with COVID-19, it is still recommended that people with the virus limit contact with animals until more information is known.
- When possible, have another member of your household care for your animals while you are sick with COVID-19. If you must care for your pet or be around animals while you are sick, wash your hands before and after you interact with them. See [COVID-19 and Animals](#) for more information.

Call ahead: If you have a medical appointment, call your doctor's office or emergency department, and tell them you have or may have COVID-19. This will help the office protect themselves and other patients.

If you are sick: You should wear a facemask when you are around other people and before you enter a healthcare provider's office.

If you are caring for others: If the person who is sick is not able to wear a facemask (for example, because it causes trouble breathing), then people who live in the home should stay in a different room. When caregivers enter the room of the sick person, they should wear a facemask. Visitors, other than caregivers, are not recommended.

Cover your coughs and sneezes

- **Cover:** Cover your mouth and nose with a tissue when you cough or sneeze.
- **Dispose:** Throw used tissues in a lined trash can.
- **Wash hands:** Immediately wash your hands with soap and water for at least 20 seconds. If soap and water are not available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.

Clean your hands often



Wash hands: Wash your hands often with soap and water for at least 20 seconds. This is especially important after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.

- **Hand sanitizer:** If soap and water are not available, use an alcohol-based hand sanitizer with at least 60% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry.
- **Soap and water:** Soap and water are the best option, especially if hands are visibly dirty.
- **Avoid touching:** Avoid touching your eyes, nose, and mouth with unwashed hands.

Avoid sharing personal household items

- **Do not share:** Do not share dishes, drinking glasses, cups, eating utensils, towels, or bedding with other people in your home.
- **Wash thoroughly after use:** After using these items, wash them thoroughly with soap and water or put in the dishwasher.

Clean all “high-touch” surfaces everyday

High-touch surfaces include phones, remote controls, counters, tabletops, doorknobs, bathroom fixtures, toilets, keyboards, tablets, and bedside tables.

Clean and disinfect areas that may have blood, stool, or body fluids on them.

Household cleaners and disinfectants: Clean the area or item with soap and water or another detergent if it is dirty. Then, use a household disinfectant.

Monitor your symptoms

Seek medical attention, but call first: Seek medical care right away if your illness is worsening (for example, if you have difficulty breathing).

Call your doctor before going in: Before going to the doctor's office or emergency room, call ahead and tell them your symptoms. They will tell you what to do.

- **Wear a facemask:** If possible, put on a facemask before you enter the building. If you can't put on a facemask, try to keep a safe distance from other people (at least 6 feet away). This will help protect the people in the office or waiting room.
- **Follow care instructions from your healthcare provider and local health department:** Your local health authorities will give instructions on checking your symptoms and reporting information.

HOW TO DISCONTINUE HOME ISOLATION

People **with COVID-19 who have stayed home (home isolated)** can stop home isolation under the following conditions:

If you will not have a test to determine if you are still contagious, you can leave home after these three things have happened:

- You have had no fever for at least 72 hours (that is three full days of no fever without the use of medicine that reduces fevers)
AND
- other symptoms have improved (for example, when your cough or shortness of breath have improved)
AND
- at least 7 days have passed since your symptoms first appeared

If you will be tested to determine if you are still contagious, you can leave home after these three things have happened:

- You no longer have a fever (without the use of medicine that reduces fevers)
AND
- Other symptoms have improved (for example, when your cough or shortness of breath have improved)
AND
you received two negative tests in a row, 24 hours apart. Your doctor will follow [CDC guidelines](#).

Reference

CDC, Coronavirus Disease 2019 (COVID-19), March 2020